



Embossed Aluminum Letters and Numbers - Roman Typeface	1-2
Embossed Aluminum Letters and Numbers - Gothic Typeface	3-4
Embossed Aluminum Pole Tags	5-6
Horticulture Tags - Vineyards, Farms, Orchards, Trees	7
Bright Deluxe Numbers and Letters	8-9
Crimp Closed Tag Holders	10-11
Crimp-Closed Slide-In Tags	12-13
Cutom & Consecutively Numbered Tags	14
Dating Nails & Disc, Survey Discs	15-16
Galvanized Steel Nails	17-18
Meter Tags	19-20
Nightview Carrier Strips	21-22
Nightview Markers	23-24
Reflective Phase Markers	25
Delineators	26
Custom Vinyl Tags & Self-Sealing Tags	27-28
Aerial Markers	29-30
Custom Signs	31-32
Warranty, Terms and Conditions	33-34



Embossed Aluminum Letters & Numbers

Roman Typeface

i Legible: *Unique embossed design provides high visibility from any angle.*

i Durable: *Solid aluminum pole markers are guaranteed legible for the life of the pole.*

i Economical: *One time attachment reduces your labor costs.*

Natural hazards—ultraviolet radiation, temperature extremes, creosote leaching, and salt spray—don't affect Premax's rugged, mill finish, aluminum numbers & letters. Their embossed profile reflects light to provide easy reading from any angle. Durable Premax letters and numbers have proven themselves to be the utility industry's preferred marking system for over eighty years.

Size	Style	Item	Qty
1-1/2 inch	Roman Numbers or Letters	UAR15-*	100/box
2 inch	Roman Numbers, Letters, 1/2, &	UAR02-*	100/box
3 inch	Roman Numbers, Letters, 1/2, &	UAR03-*	100/box
4 inch	Roman Numbers, Letters, &	UAR04-*	100/box
6 inch	Roman Numbers, Letters, &	UAR06-*	50/box

*See how to order on back side of this sheet


3 inch Roman Number



Metal lasts forever.



Embossing increases legibility.



Stencil cut etches your mark on the pole.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Pole Markers

Pole Markers Roman

<div>U</div>	<div>A</div>	<div>R</div>	<div></div>	<div>—</div>	<div></div>															
<div>↑</div>	<div>↑</div>	<div>↑</div>	<div>↑</div>		<div>↑</div>															
<table><tr><th>Finish</th><th>Code</th></tr><tr><td>*Unfinished</td><td>U</td></tr></table>	Finish	Code	*Unfinished	U	<table><tr><th>Material</th><th>Code</th></tr><tr><td>Aluminum</td><td>A</td></tr></table>	Material	Code	Aluminum	A	Roman		<table><tr><th>Actual Character</th><th>Letter Number Symbol</th></tr><tr><td>"—" (Dash)</td><td>Dash</td></tr><tr><td>"&" (Ampersand)</td><td>&</td></tr><tr><td>Fraction</td><td>½</td></tr></table>	Actual Character	Letter Number Symbol	"—" (Dash)	Dash	"&" (Ampersand)	&	Fraction	½
Finish	Code																			
*Unfinished	U																			
Material	Code																			
Aluminum	A																			
Actual Character	Letter Number Symbol																			
"—" (Dash)	Dash																			
"&" (Ampersand)	&																			
Fraction	½																			

***Note:**
Also available in Polished Aluminum or Brass,

***Note:**

Also available in Polished Aluminum or Brass, please consult factory.

Example: To order a 3 inch unpolished aluminum letter "P," use item code:

U A R 0 3 — P

Size (inches)	Code	Material Thickness (inches)	Recommended Nail
1.5	15	0.016	GN-3D, BGN-15
2	02	0.016	GN-3D, BGN-15
3	03	0.016	GN-3D, BGN-15
4	04	0.032	BGN-13
6	06	0.032	BGN-13

PAINTED OR REFLECTIVE FINISHES:

Painted and reflective pole markers are made to order in any color you wish for an additional charge per lot of 100. Painted and/or reflective characters are custom items. As such, they are not returnable.

RECOMMENDED NAIL:


See chart.

STANDARD PACKAGE:

Premax Pole Markers are sold in boxes of 100 each of the same character.

Embossed Aluminum Letters & Numbers

RomanTypeface



Item Number: UAR03-R
Description: 3" Roman Letter "R"
Material: .016" Aluminum

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Embossed Aluminum Letters & Numbers

Gothic Typeface

i Legible: *Unique embossed design provides high visibility from any angle.*

i Durable: *Solid aluminum pole markers are guaranteed legible for the life of the pole.*

i Economical: *One time attachment reduces your labor costs.*

Premax solid aluminum Gothic letters and numbers have been the telephone industry's choice for marking outside plant for 80 years. These metal markers are simply the best: they withstand ultraviolet radiation, salt spray, and temperature extremes without losing their legibility.

Our Gothic style markers are made from rugged .016 inch thick aluminum and are only available in 1-½ inch characters.



1-½ inch Gothic Number

Size	Style	Item	Qty
1-½ inch	Gothic Numbers, Letters, Dash, &	UAG15-*	100/box

*See how to order on back side of this sheet



Metal lasts forever.



Embossing increases legibility.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Pole Markers

Pole Markers Gothic

U		A		G	1	5	—	
↑		↑		↑	↑			↑
Finish	Code	Material	Code	Gothic	Size	Actual Character		Letter Number Symbol
Unfinished	U	Aluminum	A			"—" (Dash)		Dash
						"&" (Ampersand)		&

Example: To order a 1-½ inch Gothic letter "Z," use item code:

U A G 1 5 — Z

PAINTED OR REFLECTIVE FINISHES:

Painted and reflective pole markers are made to order in any color you wish for an additional charge per lot of 100. Painted and/or reflective characters are custom items. As such, they are not returnable.

RECOMMENDED NAIL:

BGN-15

STANDARD PACKAGE:


Premax Pole Markers are sold in boxes of 100 each of the same character.

Embossed Aluminum Letters & Numbers Gothic Typeface

www.premaxlp.com

Phone: 800-328-0194


Email: info@premaxlp.com



Item Number: UAG15-E

Description: 1.5" Gothic Letter "E"

Material: .016" Aluminum



Embossed Aluminum Pole Tags

- i** *Wide variety of standard sizes*
- i** *One, two, or three lines of characters*
- i** *Horizontal or vertical orientation*

No other label, decal or sign can match the combined economy and durability of a Premax embossed aluminum pole tag. Our tags are embossed from solid aluminum (.016). They will remain legible for the life of the pole. Their nail holes are set in just far enough from the edge of the tag to prevent tear-out. The tags reflect our quality standards: they have straight, even text, and they have no sharp edges.

Letter Width x Height		Style ¹	Tag Height	Item
5/16" x 3/8"		1-Line	3/4"	38-*
7/16" x 1/2"		1-Line	3/4"	12-*
5/8" x 7/16"		1-Line	3/4"	716-*
13/16" x 7/8"		1-Line	1-3/4"	78-*
13/16" x 7/8"		1-Line	1-1/8"	78A-*
1-1/8" x 1-1/4"		1-Line	2-1/4"	114-*
L1 7/16" x 1/2"	L2 7/16" x 1/2"	2-Line	1-3/4"	212-*
L1 5/8" x 7/16"	L2 5/8" x 7/16"	2-Line	1-3/4"	762-*
L1 13/16" x 7/8"	L2 13/16" x 7/8"	2-Line	2-1/4"	782-*
L1 5/8" x 7/16"	L2 13/16" x 7/8"	2-Line	1-3/4"	778-*
L1 13/16" x 7/8"	L2 5/8" x 7/16"	2-Line	1-3/4"	787-*

*See how to order on back side of this sheet



Use durable aluminum, not brittle plastic for a quality marking system.



Embossing enhances legibility.



No paint to fade or scratch off.



1-line Vertical Pole Tag



www.premaxlp.com

¹ Three line tags and other letter height combinations are available, consult our factory at 1-800-328-0194.

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Tags

Embossed Aluminum Pole Tags

Stock Tags (.016 aluminum)

Standard embossed aluminum tags come in many designs, with different size characters and different amounts of text. Please use the following table to see if a standard tag might serve your needs. Stock Tags can readily be made in 5 working days.

Design No.	Style	Height of Letters	Width of Letters	Height of Tag
38	1-line	3/8"	5/16"	3/4"
12	1-line	1/2"	7/16"	3/4"
716	1-line	7/16"	5/8"	3/4"
78	1-line	7/8"	13/16"	1-3/4"
78A	1-line	7/8"	13/16"	1-1/8"
114	1-line	1-1/4"	1-1/8"	2-1/4"
212	2-line	1/2" & 1/2"	7/16"	1-3/4"
762	2-line	7/16" & 7/16"	5/8"	1-3/4"
782	2-line	7/8" & 7/8"	13/16"	2-1/4"
778	2-line	7/16" & 7/8"	5/8" - 13/16"	1-3/4"
787	2-line	7/8" & 7/16"	13/16" - 5/8"	1-3/4"

ORDER QUANTITY:

Orders for less than 1,000 pieces are subject to a set up charge, consult factory.

RECOMMENDED NAIL:

BGN-15

STANDARD PACKAGE:

Bulk. Can be packaged 100 to a box at customer request.

Embossed Aluminum Pole Tags

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com





Horticulture Tags Vineyards Farms Orchards Trees

i Legible: *Unique embossed design provides high visibility from any angle.*

i Durable: *Solid aluminum pole markers are guaranteed legible for the life of the pole.*

i Economical:
One time attachment reduces your labor costs.

Aluminum tags are great crop row markers because they are legible, durable and economical. Accurately mark different crops and trees with solid aluminum tags that will endure the toughest of conditions. Premax row tags are fully customizable to your specifications. Our tags are made in the USA and ship fast from Wisconsin.

Whether you prefer to mark your rows with large brightly colored numbers or aluminum character tags, Premax tags stand the test of time.

Premax can readily manufacture a wide variety of tags displaying consecutive numbers, either alone or combined with company logos, initials or other relevant text. Nail holes can be customized for your particular application. Premax would like to be your number one supplier for asset identification products. please feel free to consult our factory at 800-328-0194 for a quote.



Bright Deluxe Tag with a polished aluminum de-bossed character on a black background with beveled edges



3 inch tags are made out of UV resistant enamel coated Aluminum. They can be mounted directly to the pole or with our Crimp Closed Tag Holders



Premax solid aluminum characters are available in a range of sizes and two fonts. Their embossed design provides easy viewing from any angle



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Bright Deluxe Numbers & Letters

i *High Contrast =
High Visibility*

i *Baked Enamel on
Aluminum = Long Life*

Premax's Bright Deluxe letters and numbers are available in polished aluminum with black enamel background. This finish is produced with premium quality baked enamel (45% solids), using a proprietary formula containing state-of-the-art UV inhibitors.

The BDX is a bevel-edged plaque (.016" aluminum) with 2-1/2" tall characters de-bossed into a 3-1/4" x 2-1/4" rectangle. Each figure has two .10" mounting holes, top and bottom. Mounting frames for grouped characters are available in sizes holding 2 to 8 characters, in either horizontal or vertical orientation. Frames are made of .020" aluminum with mounting holes at each end.

Size	Style	Item	Qty
2-1/2" figure/ 3-1/4" bkgnd	Number, Letter, Dash, 1/2, & Polished Aluminum on Black	BDX-*	100/box

**See how to order on back side of this sheet*



3-1/4 inch Bright Deluxe Letter



Premium quality baked on enamel background contains UV inhibitors.



Center holes allow BDX markers to be attached with or without holders.



Solid aluminum holders, precisely made, allow for easy assembly.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Pole Markers

Bright Deluxe Characters

B D X

Polished aluminum character on black background.

Example: To order an aluminum number "3", use item code:

B D X — 3

Actual Character	Letter Number Symbol
"-" (Dash)	Dash
"&" (Ampersand)	&
Fraction	1/2

RECOMMENDED NAIL:

BGN-15

STANDARD PACKAGE:

box of 100 of same character

Holders

U D

Orientation	Code
Horizontal	H
Vertical	V

Holder Capacity. Enter the number of BDX plaques to be used.

Example: To order a holder for four BDX characters in a horizontal orientation, use item code

U D H — 4

RECOMMENDED NAIL:

BGN-15

STANDARD PACKAGE:


sold individually and shipped in bulk

Bright Deluxe Numbers & Letters

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Item Number: BDX-0

Description: 3" Bright Deluxe "0" on Black Plaque

Material: .016" Aluminum



Crimp-Closed™ Tag Holders

i **Versatile:**

Applies to any surface

i **Durable:** Formed aluminum, NOT plastic

i **Easy Assembly:**

Consistent dimensions, no sharp edges

Apply to any surface with metal strapping,* lacing wire,* double-stick adhesive or nails . . . this system meets the challenge of marking new types of outside plant. Holders are made of durable aluminum, not unproven plastic.

*Requires optional slots on holder.

Custom features:


- Horizontal or vertical orientation
- Holders can accommodate 3 to 12 characters

Character Size	Carrier Style	Carrier Size	Item	Qty
1 inch	Universal	3-12 Figures	CCH01-**	ea.
3 inch	Horizontal	3-12 Figures	CCH03H-**	ea.
3 inch	Vertical	3-12 Figures	CCH03V-**	ea.

**See how to order on back side of this sheet



1 inch Universal Tag Holder



Durable aluminum holders are not temperature or humidity sensitive.



Consistent dimensions along the entire length of the holder result in easy assembly.



www.premaxlp.com


Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Pole Markers

Crimp-Closed™ Tag Holders



Example (Holder):

To order a holder for five one inch tags the code would be:


C C H 0 1 — 5

RECOMMENDED NAIL:

BGN-13

STANDARD PACKAGE:

sold per each and bundled in packs of 25.




Crimp-Closed™ Tag Holders

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com





CrimpClosed™ Slide-In Tags

i Durable: Embossed aluminum, NOT plastic

i Proprietary paint formula incorporates today's best UV inhibitors.

i 1 inch or 3 inch Characters

Apply to any surface with metal strapping,* lacing wire,* double-stick adhesive or nails...this system meets the challenge of marking new types of outside plant. Tags and holders are made of durable aluminum, not unproven plastic. Our proprietary paint formula incorporates today's best ultraviolet inhibitors. Available in one inch or three inch characters.

*Requires optional slots on holder.

Custom features:

- Black characters on yellow or orange background.
- Custom tags showing special symbols, logos, or ownership initials are no problem: consult factory.

Tag Size	Tag Orientation	Tag Finish	Item	Qty
1 inch	Horizontal	Black on Yellow	CCT01HY-**	100/box
1 inch	Vertical	Black on Yellow	CCT01VY-**	100/box
1 inch	Horizontal	Black on Orange	CCT01HO-**	100/box
1 inch	Vertical	Black on Orange	CCT01VO-**	100/box
3 inch	Universal	Black on Yellow	CCT03Y-**	100/box
3 inch	Universal	Black on Orange	CCT03O-**	100/box

**See how to order on back side of this sheet



3 inch Universal Tag on Orange Background



Corner holes allow 3" tags to be attached with or without mounting holders.



Proprietary baked enamel is thicker and lasts longer than ink.



Metal is permanent. Accept no plastic substitutes.



Holders available for both horizontal and vertical configurations. See page 7.



www.premaxlp.com

Phone: 800-328-0194


Email: info@premaxlp.com



Item Number Codes

Pole Markers

Crimp Closed™ Slide-In Tags



Example (Tag):

To order a black, one inch tall, letter "A" tag on a yellow background to be read horizontally the item code would be:

C C T 0 1 H Y — A

SPECIAL TAGS: logos, phase symbol, KVA numbers, etc., consult factory.

RECOMMENDED NAIL:

BGN-13


STANDARD PACKAGE: 100 per box or ziplock bag

Crimp-Closed™ Slide-In Tags

www.premaxlp.com

Phone: 800-328-0194


Email: info@premaxlp.com



Item Number: CCT01VO-M

Description: 1.0" Vertical "M" Tag
on Orange Background


Material: .025" Aluminum



Item Number: CCT01HY-5

Description: 1.0" Horizontal "5" Tag
on Yellow Background

Material: .025" Aluminum



Item Number: CCT03Y-2

Description: 3.0" Universal "2" Tag
on Yellow Background

Material: .025" Aluminum



Custom & Consecutively Numbered Tags

i *Wide variety of type sizes and tag shapes available*

i *One, two, or three lines of characters*

i *Horizontal or vertical orientation*

i *Available in aluminum or brass*

Premax can readily manufacture a wide variety of tags displaying consecutive numbers, either alone or combined with company logos, initials or other relevant text. Nail holes can be customized for your particular application. First time orders may incur an additional (one time) charge, depending on die requirements.

Special orders? No problem! Premax would like to be your number one supplier for asset identification products. With over 80 years of experience we can call on a wide variety of metal forming and screenprinting capabilities

to produce just the right marker for your particular application. If you don't see what you need in our catalog, please feel free to consult our factory at 800-328-0194 for a quote.

See back side of this sheet for a partial listing of most commonly ordered Consecutively Numbered Tag sizes. Lead times vary according to complexity and quantity. Custom and Consecutively Numbered Tags are not returnable.



Custom Aluminum Oval



Virtually any shape can be used.



Custom design capabilities at Premax provide countless special application solutions.



High quality embossing showcases your company identity.



Consecutive numbering provides an accurate economical solution to asset marking needs.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Dating Nails & Discs, Survey Discs

i Aluminum or Bronze

i Year* can be stamped on head *Or up to four characters of your choice

i Durable and effective

Our aluminum dating nails are 1-1/2 inches in length, while our bronze nails measure 3 inches. Both have a 1/4 inch shank. Shanks are barbed for maximum holding power.

Custom identification and dating discs are readily available. These rugged discs (.0625" aluminum) measure 1 inch in diameter, with either a 9/32 or 1/8 inch center hole.

Up to twenty-two (22), 1/8" characters (including spaces and punctuation) can be wrapped comfortably about the circumference of the disc for easy identification after installation.



1-1/2 inch Date Nail
1 inch Date Disc with 9/32 inch Diameter Hole

Nail Size	Style	Item	Qty
3" x 1/4"	Bronze Date Nail/Stamped Head	BDN-3-M*	bulk
3" x 1/4"	Bronze Date Nail/Plain Head	BDN-3-P*	bulk
1-1/2" x 1/4"	Aluminum Date Nail/Stamped Head	ADN-15-M*	bulk
1-1/2" x 1/4"	Aluminum Date Nail/Plain Head	ADN-15-P*	bulk

Hole Size	Style	Item	Qty
1/8"	1" Dia. Bronze Disc/.0625" Thick	BD1-18-*	bulk
9/32"	1" Dia. Bronze Disc/.0625" Thick	BD1-932-*	bulk
1/8"	1" Dia. Aluminum Disc/.0625" Thick	AD1-18-*	bulk
9/32"	1" Dia. Aluminum Disc/.0625" Thick	AD1-932-*	bulk

*See how to order on back side of this sheet



Custom identification discs are a perfect companion to dating nails.



Up to four characters can be stamped on nail head.

Survey Discs

Our custom survey discs, also known as survey washers, are customized with your company name, license number or other information and pair well with Premax date nails.



www.premaxlp.com


Phone: 800-328-0194
Email: info@premaxlp.com




Item Number Codes

Nails & Discs

Dating Nails & Discs, Survey Discs




Item Number: BDN-3
Description: 3" Date Nail
Material: Bronze




Item Number: ADN-15
Description: 1.5" Date Nail
Material: Aluminum

Dating Nails:




Discs:



Example: To order a stamped aluminum date disk with an 1/8" diameter center hole, use item code:

A D 1 — 1 8 — C . A . T . V .

OR



Item Number: BD1-18
Description: 1" Date Disc
.125" Dia. Hole
Material: Bronze

Item Number: AD1-932
Description: 1" Date Disc
.2812" Dia. Hole
Material: Aluminum

Dating Nails & Discs, Survey Discs

www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Galvanized Steel Nails

i *Manufactured especially for Premax characters & tags*

i *Round heads enhance product appearance*

i *Durable and effective*

Premax markers and tags are manufactured of outdoor durable aluminum. If properly attached, they will outlast the pole. We carry two nails manufactured especially for attaching our characters and tags. These two nails—the BGN-15 and the BGN-13—are made of steel and are bright galvanized with zinc chromate. They will not bend, rust, or lose their heads over the course of decades.

Both have notched shanks to prevent backout. Their round heads enhance the appearance of our products.

The GN-3D is an economical, hot dipped galvanized nail with a flat head.



1-1/2 inch Bright Galvanized Nail



1-1/2 inch Galvanized Flat Head Nail

Length	Recommended Use	Item	Qty	Qty/Lb.
1 inch	1, 2, & 3 inch pole markers/tags	BGN-15	bulk box,* 1-lb. box, 3-lb. box, 5-lb. box	840
1-1/2 inch	4 & 6 inch characters, 614 aerial markers	BGN-13	bulk box,* 1-lb. box, 3-lb. box, 5-lb. box	300
1-1/8 inch	1, 2, & 3 inch pole markers/tags	GN-3D	bulk box,* 1-lb. box, 3-lb. box, 5-lb. box	650

**Bulk pack is one box of desired number of nails. 50 lbs. max per bulk pack.*



Use Premax galvanized steel nails for long lasting, good looking attachment.



Six decades and counting . . .



www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com




Item Number Codes


Nails & Discs

Galvanized Steel Nails


	BGN-15	BGN-13	GN-3D
LENGTH	1"	1-1/2"	1-1/8"
HEAD SHAPE	Round	Round	Flat
HEAD DIAMETER	.135"	.200"	.200"
SHANK DIAMETER	.075"	.100"	.075"
COATING	Electro-Galvanized	Electro-Galvanized	Hot Dipped Galvanized



Item Number: BGN-15
Description: 1"
Bright Galvanized
Round Head Nail
Material: Steel



Item Number: BGN-13
Description: 1.5"
Bright Galvanized
Round Head Nail
Material: Steel



Item Number: GN-3D
Description: 1.125"
Galvanized
Flat Head Nail
Material: Steel

Galvanized Steel Nails

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com

Meter Tags



i **Stamped or embossed** in .016" aluminum with consecutive numbers, either alone or combined with other text.

i **Available in anodized aluminum** with or without adhesive backing and barcodes.

i **Pressure sensitive vinyl** also available with custom printing to your specifications.

Premax's standard aluminum meter tag measures 3-1/2" x 1/2" with one 5/32" hole on the left side. Meter tags may be ordered without the hole for an additional charge. Tag length is also optional. Characters may be either stamped or embossed. All meter tags are custom items and may not be returned. Pricing will vary depending on quantity ordered. Please call for a quote.

Our meter tags are also available in anodized aluminum (with or without adhesive backing and barcodes) and pressure sensitive vinyl in a wide variety of colors and sizes. Color, size and text are all customized to your specifications.

Std Tag Size	Std Style	Std Pkg
W 3-1/2" x H 1/2" 5/32" Hole	Stamped or Embossed Aluminum Punched Left Side	Bulk or Strung in Numerical Order

**All Meter Tags are custom ordered. Please call our factory at 1-800-328-0194 for more information. Meter Tags are not returnable.*



Stamping:
Character is depressed into the surface.



Embossing:
Character is raised from the surface.



Bar Coding on anodized aluminum.



Stamped Aluminum Meter Tag



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes


Tags

Meter Tags

Please have application information ready and call a Premax customer service representative to discuss a marking solution.

Meter Seals

Custom Meter Seals available in:



Meter Tags & Seals

www.premaxlp.com

hone: 800-328-0194


Email: info@premaxlp.com

Nightview™ Carrier Strips

- i Durable:** made from solid aluminum, not plastic
- i Quality Manufacture:** No sharp edges
- i Embossed Ridge:** precise marker alignment

Our carrier strips have an embossed ridge for precise marker alignment, saving you time and creating an attractive pole marker. Standard carrier strips have nail holes; carrier strips with slots for banding are also available.

Our Nightview carrier strips come in either horizontal or vertical orientation in two sizes—to fit our Nightview™ pressure sensitive vinyl characters in either 2-1/2" or 7/8" size.



2-1/2 inch Horizontal Carrier Strip

Character Size	Carrier Orientation	Carrier Size	Item	Qty
2-1/2"	Horizontal	2-10 Figures	NVCS25H-*	ea.
2-1/2"	Vertical	2-10 Figures	NVCS25V-*	ea.
7/8"	Universal	2-10 Figures	NVCS78-*	ea.

*See how to order on back side of this sheet



Easy to align and attach.



Durable aluminum won't split or crack.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com




Item Number Codes

Labels & Decals

Nightview™ Carrier Strips

Nightview™ Carrier Strips:



Character Size	Code
*2.5 Inches	25
*7/8 Inch	78

For 2.5-Inch Characters	
Orientation	Code
Horizontal	H
Vertical	V

*See Nightview™ Reflective Markers page for label ordering information

Example (Carrier Strip): To order a carrier strip for five 2.5" labels in horizontal orientation, use item code:

N V C S 2 5 H — 5

STANDARD PACKAGE:

Nightview™ Carrier Strips are sold individually in any quantity (meeting our minimum order requirement) and are packaged in bulk.

RECOMMENDED NAIL:

BGN-13

Nightview™ Carrier Strips

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Nightview™ Markers

i 3M Sheetings & Inks
= *Highest Quality*

i Quality Manufacture
= *Best Value*

Premax Nightview™ Markers represent the best in pressure sensitive reflective labels. Made from 3M Scotchlite™ sheetings and 3M inks and toners, these markers are the most durable reflective vinyl markers made in the world today.

Nightview™ markers measure 2-7/8" x 1-3/4" with 2-1/2" tall characters in Helvetica typeface. The markers are back slit to allow for easy application. Nightview™ markers are packaged with 25 of the same character in a zip-lock bag, resealable for maximum shelf life of unused product. Binder sheets of pressure sensitive markers peel away from the liner card and pick up dirt, creating waste.

Available in Engineer Grade and High Intensity Grade reflective sheeting. Other colors and sizes available: consult factory.



2-1/2 inch High Intensity Grade Marker

Character Size	Reflective Grade	Tag Size	Item	Qty
2-1/2"	Engineering	2-7/8" x 1-3/4"	NV25YBE-*	25/bag
7/8"	Engineering	1" x 1"	NV78YBE-*	25/bag
2-1/2"	High Intensity	2-7/8" x 1-3/4"	NV25YBH-*	25/bag
7/8"	High Intensity	1" x 1"	NV78YBH-*	25/bag

*See how to order on back side of this sheet



High Intensity Grade
Reflective Vinyl.



Engineering Grade
Reflective Vinyl.



Custom sizes available.



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Labels & Decals

Nightview™ Reflective Markers

Markers:



Label Size	Character Height	Code
2-7/8" x 1-3/4"	2-1/2"	25
1" x 1" Square	7/8"	78

Background Color	Code
Black	B
Yellow	Y

Actual Character(s) On Marker	Letter Number Symbol
"-" (Dash)	Dash
"/" (Slash)	Slash
"." (Period)	Period
"#" (Number)	Number
"Ø" (Phase)	Phase
Fraction	1/2

Character Color	Code	Reflectivity Level	Code
Black	B	Engineer Grade	E
Yellow	Y	High Intensity	H

Note: Only the yellow portion of the label (either the character OR the background) is reflective.

Example (Label): To order a 2-1/2" yellow number "5" on a black background in Engineer Grade reflective vinyl, use item code:



These markers are in stock at all times. Other markers in different sizes and color combinations can be manufactured to your specifications. Please consult our factory.

Standard Package:

Nightview™ markers are sold in ziplock polybags of 25 of the same character.

Do you need to put self adhesive labels on a wooden pole?

See our Nightview™ Carrier Strips, page 27.

Nightview™ Markers

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Reflective Phase Markers

i *Coated on front side with red, white, or blue enamel and baked with reflective glass beads for maximum reflectivity.*

Solid Aluminum (.016") Embossed Three Inch Letter A, B or C with .10" nail holes.

i *Delivery:
10 working days a/r/o.*

Item Number	Color	Qty
Phase-A-Reflective	Red	ea.
Phase-B-Reflective	White	ea.
Phase-C-Reflective	Blue	ea.
Phase-SET-Reflective	One Each	3 Pieces

RECOMMENDED NAIL:
BGN-15



3 inch Phase-C-Reflective



Solid embossed aluminum characters feature baked-on enamel with reflective glass beads.



Delineators

① Help Prevent Accidents: *Delineators have been shown to prevent accidents involving poles near roadways.*

① Avoid Changeout Costs: *Costly outages and repairs due to accidents can be reduced by giving motorists a chance to see field assets at night and in bad weather.*

① Reduce Liability: *Install delineators and make a good faith effort to upgrade to a safer system.*

Premax delineators are manufactured from .025" aluminum. Their reflective coating comes from 3M's Scotchlite™ reflective vinyl sheeting. All delineators are 2" wide and can be attached with nails. Attach to pad mounted gear with Scotch VHB™ 4945 double-sided tape or construction adhesive.

Custom lengths and widths (up to 7") are available.



Length	Style	Item	Qty
8, 10, or 12 inches	Scotchlite™* vinyl sheeting, Yellow	DLY-	bulk



ORDER QUANTITY:

Delineators are priced per each and packaged in bulk.

RECOMMENDED NAIL:

BGN-13

*Scotchlite™ is a registered trademark of 3M Corporation.

**Delineators can be made in other colors, lengths and widths, please consult factory at 800-328-0194.

Reflective Yellow Delineator

Delineators

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com





Custom Vinyl Tags & Self-Sealing Tags

i *Tags to your needs & specifications*

i *Customizable self-sealing tags*

i *Maximum Value for every penny spent*

embossed aluminum tags are the best solution. If you want to mark a piece of equipment as being dangerous for a short period of time, then you need a tag which commands attention – a red vinyl tag, for instance, with the word “DANGER” spelled out in bold block letters. If you want field personnel to be able to add information to a form, then you need a self-sealing tag. There are literally thousands of different types of tags available to you, but they all should be designed and specified with the three basic factors in good tag design in mind:

- 1) Place & Condition of Use
- 2) Message/Information needed to be conveyed/captured
- 3) Audience – persons reading and/or filling out the tag

After all, you do not want to pay for a tag which will not last as long as you need, just as you do not want to overspend for a tag which will last twenty times longer than necessary.

See additional information on back side of this sheet

Phone: 800-328-0194
Email: info@premaxlp.com




At Premax we have only one goal: we want to provide you with the tag best suited to a particular need, no more, no less.

If you want to mark ownership of a wooden pole for 60 years, then our plain



Assorted Custom Vinyl & Self-Sealing Tags



Let Premax build a tag just right for your application, nothing more, nothing less!



Custom Vinyl Tags & Self-Sealing Tags

Let us assist you in the design and/or choice of a tag. Once we know the answers to basic design questions we can help you decide if you need a vinyl tag or a polyester tag, whether you need more than one color printing, or whether the tag needs an overlaminate. We can discuss with you how the tag will be attached, and whether or not there are any regulations involved with the place and condition of use. We are here to help make the buying decision easier.

For faster service review before ordering:**What is most critical about this order?**

Low Price

Tag Durability

Visibility/Message

Details: _____
_____**What is tag environment?**

Application Surface Indoors/Outdoors H2O/Temp/UV Exposure

Details: _____
_____**What are audience considerations?**

Multi-Language

Defined Audience

General Population

Details: _____
_____**Do you have artwork or logos to be included?**

Electronic artwork

Clean B/W

Need art created

Details: _____
_____**Method of attachment?**

Pressure sensitive adhesive

Cable tie, wire, nail

Other (explain)

Details: _____

Custom Vinyl Tags & Self- Sealing Tags

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Aerial Markers

- i** *Big—readable from the air at long distances*
- i** *Made of durable aluminum*
- i** *Easily attached to any tower or crossarm*

Aerial markers are crucial elements in the cost control of line maintenance. Missing, faded, or damaged markers result in considerable down-time for field repair personnel. Premax produces transmission line markers that are large, rugged, and identifiable from a considerable distance. You can number a tower once and rest assured you won't have to number it again.

Our markers are easily attached to lattice towers & concrete or steel pylons via available racks, banding & other mounting fixtures. Consult factory for specific application.

Size	Character/Plaque Style	Item	Qty
6 inch	Yellow Nos./Black Block Plaque	614Y-*	50/box
6 inch	Aluminum Nos./Black Block Plaque	614A-*	50/box
6 inch	Black Nos./Yellow Block Plaque	614B-*	50/box
6 inch	Plain Finish Aluminum Number or Letter	UAR06-*	50/box

**See how to order on back side of this sheet*




Premium quality baked enamel contains UV inhibitors.



Available with banding slots.



Achieve maximum durability, visibility and economy with aluminum.



6 inch Black Number on Yellow Block Plaque



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com




Item Number Codes

Aerial Markers

Transmission Line Markers

Style 614:

Block Style marker with 6" number on 5-1/2" x 8" plaque. Four nail holes (1/8 inch), one in each corner. Two lag bolt/screw holes (11/32 inch) at top and bottom.



RECOMMENDED NAIL:


BGN-13

STANDARD PACKAGE:

sold individually.

Style UAR06:

Individual embossed six inch plain finish aluminum number or letter. Nail holes (1/10") as needed.



RECOMMENDED NAIL:

BGN-13

STANDARD PACKAGE:


sold 50 each of same character per box.

Aerial Markers

www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com



Item Number: 614-A-8

Description: 6.0" Aluminum Block Style "8"
on Black Plaque

Material: .032" Aluminum



Custom Signs

- i** Custom shapes, sizes, colors, text and images
- i** Screen printing or embossed and painted
- i** Design help available

Premax offers custom signs in virtually any shape or size. At Premax we manufacture signs out of heavy gauge steel, aluminum or high density polyethylene. Any combination of colors, simple text, logos or other symbols presents no problem. Signs may be screen printed or embossed and painted with baked enamel. Overlaminates of clear polyester or Tedlar® are avail-

able to extend the life of printed signs. We can make signs directly from your electronic design files, or we can provide design help;

See additional information on back side of this sheet



Custom signs designed with your marking needs in mind.



Assorted Custom Signs



www.premaxlp.com

Phone: 800-328-0194
Email: info@premaxlp.com



Item Number Codes

Signs

Custom Signs

For faster service review before ordering:

What is most critical about this order?

Low Price Sign Durability Visibility/Message

Details: _____

What is sign environment?

Mounting Surface Indoors/Outdoors H2O/Temp/UV Exposure

Details: _____

What are audience considerations?

Multi-Language Defined Audience General Population

Details: _____

Do you have artwork or logos to be included?

Electronic artwork Clean B/W Need art created

Details: _____

Other considerations?

**Custom
Signs**

Warranty

Premax Limited Partnership

(1) WARRANTY COVERAGE. Premax Limited Liability Corporation of Medina, Minnesota ("Premax") warrants to any purchaser of Premax products for other than personal, family or household use that the products will be free of defects in materials and workmanship appearing within six (6) months after the original sale. Premax further warrants that any of our solid aluminum, unpainted products, if attached to a power or telephone utility pole, both properly and without damaging the Premax product, **will remain legible for the life of the pole.**

(2) PREMEX'S OBLIGATIONS. Premax will, at its option, repair, replace or refund the purchase price of any defective products, upon the Purchaser's compliance with the "Warranty Claims Procedure" described below. Premax's sole liability, and the Purchaser's sole remedy, for any breach of the warranty of legibility of our all aluminum, unpainted products, will be for Premax to replace (not including installation/attachment) any illegible product. Premax will return any products repaired or replaced under this warranty by truck, United Parcel Service or U. S. Mail, at Premax's option. The Purchaser will be responsible for the cost of any other method of shipment, including air freight.

(3) WARRANTY CLAIMS PROCEDURE. The Purchaser of any product claimed to be defective must: (a) notify Premax of the defect, in writing, during the warranty period, (b) provide proof of purchase to Premax, and (c) if requested by Premax, ship the defective product to Premax, FOB Premax's factory, for inspection and evaluation. The Purchaser of any product claimed to be illegible must (a) notify Premax of the illegibility, in writing, during the warranty period, (b) provide proof of purchase to Premax, and (c) send a photograph of the allegedly illegible characters to Premax.

(4) ITEMS NOT COVERED. Premax will not be responsible for: (a) the cost of removal of defective products or the installation of repaired or replaced products, (b) depreciation or damage caused by normal wear and tear, accident, abuse, vandalism, improper maintenance, normal use, use other than in accordance with Premax's instructions, or improper protection in storage, or (c) products that have been modified or altered other than with the prior written approval of Premax.

(5) NO OTHER WARRANTIES.

This warranty is exclusive and in lieu of all other warranties, express or implied. Premax expressly disclaims and excludes any implied warranties of merchantability, fitness for any particular purpose or that Premax products are free of the rightful claim of any third party for infringement of trademark or other proprietary rights.

None of Premax's agents or distributors is authorized to make any representation or warranty on Premax's behalf or in its name.

(6) OBLIGATIONS AND REMEDIES ARE EXCLUSIVE. Premax's only obligations and its customers' only remedies in connection with the purchase and sale of Premax products are those set forth in this warranty.

Premax shall not be subject to and disclaims: (a) any obligations whatsoever arising from tort claims (including negligence and strict liability) or arising under other theories of law with respect to the sale of Premax products or any undertakings, acts or omissions relating to them, and (b) all consequential, incidental, special and contingent damages whatsoever.



www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com

©Copyright Premax 2022 All rights reserved.

(1) ACCEPTANCE OF ORDERS. All orders are to be submitted to the General Sales Office of Premax Limited Liability Corporation in Medina, Minnesota (hereafter "Premax"), and no order shall become binding upon Premax until final acceptance by the Sales Manager or his duly authorized agent.

(2) ERRORS. Any errors incorporated in or appearing in a proposal or an order are subject to correction before acceptance thereof, but either party, upon such correction, may cancel the order in error without liability.

(3) PAYMENT TERMS. Standard terms of payment are net thirty (30) days from invoice date. However, shipments and deliveries shall at all times be subject to the continuing approval of the Premax credit department. Premax may decline to make shipment or may require payment in advance or other arrangement to insure payment. Delinquent accounts will be subject to a service charge of two percent (2%) per month.

(4) PRICES. Published prices are subject to change without notice. Quoted prices are firm for acceptance within thirty (30) days from date of quotation, unless changed by notice. Orders entered after thirty (30) days from date of quotation will be subject to the price in effect at time of acceptance. Minimum invoice charge is \$40.00 U.S.

(5) TAXES. The price does not include any Federal, state or local property, license, privilege, duty, use, excise or other tax. Purchaser agrees to pay or reimburse Premax the amount of any such taxes.

(6) DELIVERY. All material is sold FOB factory. Risk of loss shall pass to the Purchaser upon delivery of goods to a carrier at Premax's plant or other loading point. Normal method of shipment is UPS ground. Freight charges are prepaid and added to Purchaser's invoice. Premax shall not be responsible for any failure or delay in delivery due to fire, flood, labor troubles, strikes, breakdowns, delays of carriers, limited production, precedence or priorities given at the request of or benefit, directly or indirectly, of any Government or any subdivision, agency or instrumentality thereof, laws regulations or restrictions of any Government or any subdivision, agency or instrumentality thereof, or any cause beyond the control of Premax. Premax shall in no event be responsible for consequential damages or failures or delay in delivery

(7) ORDER REVISIONS AND/OR CANCELLATIONS. Acceptance by Premax of Purchaser's written order constitutes a binding contract between the parties which, except as otherwise specifically provided herein, may not be canceled or modified without the parties' mutual consent. In the event a Purchaser wishes to cancel all or part of an order, Purchaser shall provide Premax with written notice of said desire to cancel. Premax shall thereupon submit a statement to Purchaser of the amount of material in Premax's plants which was completed and ready for shipment, the amount of material in Premax's plants partially completed or purchased for use in the performance of the order, and the amount of material or service purchased for use in the performance of the order whether actually in the process of manufacture or not, and the scrap or other value of all finished and unfinished material, all as of the time of receiving Purchaser's said notice. Within 30 days from the receipt of such statement from Premax, Purchaser will notify Premax of Purchaser's desired disposition of all completed material, and will pay Premax as damages (a) for all material completed and ready for shipment at the contract price; and (b) for all unfinished material at cost, including all sales and administrative overhead and profit in proportion to the state of completion of the product(s) at the time of the termination of the Purchaser's order; provided, however, that Purchaser will be credited with the scrap or other value of all finished or unfinished material which Purchaser directs Premax to retain. Title to and position of all material shall remain with Premax.

(8) RETURNS POLICY. In the event a Purchaser wishes to return unused material, Premax's authorization must be obtained in writing prior to return. Returned material must be in original cartons, in salable condition, freight prepaid. Stock items, as defined by Premax from time to time, will be assessed a thirty percent (30%) restocking charge. Special orders are not returnable.

(9) WARRANTY. Premax warrants to any Purchaser of Premax products for other than personal, family or household use that the products will be free of defects in material and workmanship appearing within six (6) months after the original sale. Please see the separate Warranty statement for complete details.

Terms and Conditions of Sale

Premax Limited Partnership



www.premaxlp.com

Phone: 800-328-0194

Email: info@premaxlp.com